FASTENERS F INC.

For Sales and Marketing Information: **sales@fastenersno.com**
Fasteners, Inc. • 800 Dakin Street • Jefferson, Louisiana 70121
Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

MESSAGE FROM THE FOUNDER

During the past nearly 50 years, I've seen my beloved New Orleans experience extraordinary growth and change. At Fasteners we have also seen growth and change thanks largely to our continued commitment to teamwork, extensive product line and our policy of placing our customers above all else. We've successfully worked with numerous companies in and around New Orleans to support them as they each play a role in the New Orleans of tomorrow.

The upcoming years will be exciting as we continue to focus our business efforts to insure that our company values translate from promise to product. We've set increasingly ambitious goals for ourselves, but we have the vision and resources to achieve them. We have the knowledge, experience and expertise on our team to bring custom products to our clients by working hand-in-hand with them to meet specifications, deadlines, and budgets.

A successful business is built on sustainable, reliable growth matched with the never wavering promise to deliver the very best service to our valued customers. I am thankful for the customers and clients who have trusted Fasteners as a member of their construction team. We are proud to have supported the foundation of this great city.

I praise each of our employees for making these past years such an exhilarating success, even in turbulent times. Our team has the knowledge and experience to be able to assist our customers efficiently and effectively.

Thank you for putting your trust in Fasteners.

Gene Cotaya
Founder

TABLE OF CONTENTS

- Anchors 3
- Bolts 6
- Drill Bits 14
- Grease Fittings 16
- Hose Clamps 17
- Nuts 18
- Pins 23
- Rivets 25
- Screws 26
- Sockets 37
- Studs 40
- Taps/Dies 41
- Tek Screws 42
- Threaded Rods 43
- Tie Wraps 44
- Washers 45

Phone: 504 838-9300 • Fax: 504 838-9357

FastenersNO.com

Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

FASTENER REFERENCE GUIDE

Screws



Drivers

Head Styles



Tapping Screw Types



Tapping Screw Types



Bolts



Nuts



Washers



Misc



Steel, Stainless Steel, Brass, Bronze

ANCHORS

DRIVE ANCHORS

Round Head Type,
Truss Head Type,
Flat Head Type,
Mush Head Type

Nylon
Or
Zymac



DROP-IN ANCHORS

Steel (Plated),
Stainless Steel (303)



EXPANSION ANCHORS (MACHINE TYPE)

Single,



Double



HOLLOW WALL ANCHORS

Drywall, Various Sizes
Steel (Plated)



MACHINE SCREW ANCHOR

Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

SAMMYS (CONCRETE TYPE) ANCHORS

Straight (Plated),

Sidewinder (Plated)



SAMMYS (TEK TYPE) ANCHORS

Straight (Plated),



Sidewinder (Plated)



SAMMYS (WOOD TYPE) ANCHORS

Straight (Plated),



Sidewinder (Plated)



SCREW ANCHORS

Lead (Wood Screw Type)



Plastic

SHIELD ANCHORS (LAG TYPE)

Short, Long



ANCHORS

SLEEVE ANCHORS

Flat Head Type Steel (Plated), Stainless Steel (303),

Hex Nut Type - Steel (Plated), Stainless Steel (303),

Round Head Type - Steel (Plated)



STUD ANCHORS

Steel (Plated)



TAPCON ANCHORS

Phillips - Flat Head Type - Steel, Stainless Steel (410),

Slotted - Hex Head Type - Steel, Stainless Steel (410)



TOGGLE BOLT ANCHORS

Slotted - Round Head - Steel (Plated),
Combo - Mush Head - Steel (Plated),
Toggle Wing Only - Steel (Plated)



WEDGE ANCHORS

Steel (Plated & Galvanized),
Stainless Steel (303 & 316)



BOLTS

ANCHOR BOLTS

Grade 2 Steel (Plain & Galvanized)



CARRIAGE BOLTS

Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304 & 316),
Brass, Silicone Bronze,
Grade 5 Steel (Plain & Plated), Grade 8 Steel (Plain)



DOME HEAD (TIMBER) BOLTS

Grade 2 Steel (Galvanized)



ELEVATOR BOLTS

Grade 2 Steel (Plain & Plated),
Stainless Steel (304)



EYE BOLT (PAD TYPE)

Drop Forged Steel (Plain)



BOLTS

EYE BOLT (TURNED TYPE)

Grade 2 Steel (Plated),
Stainless Steel (304)



EYE BOLT

Drop Forged Steel (Galvanized)



EYE BOLT (SHOULDER TYPE)

Drop Forged Steel (Galvanized)



EYE BOLT (MACHINERY TYPE)

Drop Forged Steel (Plain & Plated)



EYE NUT

Drop Forged Steel (Plain & Galvanized)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

FLANGE HEX HEAD BOLT (SERRATED TYPE)

Grade 5 Steel (Plated)



FLAT HEAD BOLT (SLOTTED TYPE)

Grade 2 Steel (Plain & Plated)



HANGER BOLT

Grade 2 Steel (Plain & Plated),
Stainless Steel (304)

HEAVY HEX HEAD BOLT

Grade 2 Steel (Plain, Plated & Galvanized),
A325 Steel (Plain & Galvanized),
Alloy B-7 Steel (Plain),
Alloy B-16 Steel (Plain)



BOLTS

HEX HEAD FINISHED BOLT

Nylon, Aluminum, K-Monel, Monel, Grade 2 Steel (Plain, Plated & Galvanized),Stainless Steel (304 & 316), Metric Stainless Steel (304 & 316), Brass, Metric Brass, Silicone Bronce, Grade 5 Steel (Plain & Plated), Metric Grade 8.8 Steel (Plain & Plated), Grade 8 Steel (Plain & Plated), Metric Grade 10.9 (Plain)



J BOLT

Grade 2 Steel (Plain, Plated & Galvanized), Stainless Steel (304 & 316)



PLOW BOLT

Grade 5 & 8 Steel (Plain)



SQUARE HEAD BOLT

Grade 2 Steel (Plain, Plated & Galvanized)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

TAP BOLT (FULLY THREADED)

Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 316),
Grade 5 Steel (Plated), Grade 8 Steel (Plain)



TAP BOLT (FULLY THREADED)

A325 Steel (Plain & Dacrotized)



U-BOLTS (ROUND BEND TYPE)

Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304 & 316),
Long Tang Type - Grade 2 Steel (Plated & Galvanized)



BOLT BIN (40 HOLE TYPE)

Material is a prime cold rolled steel interlocking and welded construction. Color is a durable gray powder coat finish.
Depth 12 in | 304 mm
Height 23 7/8 in | 606 mm
Width 33 3/4 in | 857 mm



BOLTS

BOLT BIN (56 & 72 HOLE TYPE)

Material is a prime cold rolled steel interlocking and welded construction. Color is a durable gray powder coat finish.
Depth 12 in | 304 mm
Height 42 in | 1066 mm
Width 33 3/4 in | 857 mm



BOLT BIN STEEL CABINET W/ 20 PLASTIC DRAWERS

Material is a prime cold rolled steel interlocking and welded construction.
Color is a durable gray powder coat finish.
20 Plastic Drawers
Dimensions Overall 16-3/4”W x 6-3/8”D x 12”H



BOLT BIN LABELS

Metric, Misc.,
SAE Hex Head Cap Screw,
Stainless Steel,
USS Hex Head Cap Screw



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

BOLT BIN METAL BOX 12, 21 & 24 COMPARTMENT

Material is a prime cold rolled steel interlocking and welded construction. Color is a durable gray powder coat finish
Depth 12 in | 304 mm
Height 3 in | 76 mm
Width 18 in | 457 mm



BOLT BIN METAL CABINET 24 DRAWERS

Material is a prime cold rolled steel interlocking and welded construction. Color is a durable gray powder coat finish
Depth 11 5/8 in | 295 mm
Height 14 3/8 in | 365 mm
Width 33 3/4 in | 857 mm



BOLT BIN METAL RACK 5 PLASTIC COMPARTMENTS

Material is a prime cold rolled steel interlocking and welded construction.
Color is a durable gray powder coat finish.
Depth 9 1/8 in | 231 mm
Height 13 1/4 in | 336 mm
Width 13 1/2 in | 342 mm



BOLTS

BOLT BIN PLASTIC BOX 12, 16, 18 & 24 COMPARTMENT (LARGE & SMALL)

Material is polypropylene
Colors is transparent

Depth 9 | 228 mm
Height 2 5/16 | 59 mm
Width 13 1/8 | 333 mm

Depth 6 3/4 in | 171 mm
Height 1 3/4 in | 44 mm
Width 11 in | 231 mm



PLASTIC BOLT GAUGE

Excellent for sizing bolts, screws,
nuts (USS, SAE, & Metric) & twist drills
Gauges hex nuts and washers (USS, SAE)

Fits in Shirt Pocket (8-5/8” x 3-1/4” or 217mm x 82mm)



PLASTIC METRIC & FRACTIONAL SCREW GAUGE

Internally threaded screw gauge
#0 - 3/4 coarse & fine thread inch
1.6mm - 16mm metric
Also a drill & tap gauge on reverse side



DRILL BITS

DRILL BIT SETS

High Speed Steel, Heavy Duty Jobber Lengths

Glass, Ceremic, Tile Drill Bits



HIGH SPEED DRILL BITS

Jobber



Reduced Shank

Stubby

MASONRY DRILL BITS

Full Length



Tapcon



SDS Rotary



DRIVER, HEX BASE MAGNETIC TIPS

Phillips 1/4 Hex Drive - #s 1, 2 & 3

Slotted 1/4 Hex Drive - #s 1, 2, 3, 4 & 5

Square 1/4 Hex Drive - #s 1, 2 & 3

Torx 1/4 Hex Drive - #s 8, 15, 25, 30 & 40





DRILL BITS

DRIVER, HEX BASE MAGNETIC SECURITY TIPS

Phillips Head W/Pin 1/4 Hex Drive - #s 2 & 3
Spanner Head 1/4 Hex Drive - #s 6, 8, 10, 12 & 1/4
Hex Head W/Pin 1/4 Hex Drive - 3/32, 1/8, 5/32, 3/16, 7/32 & 1/4
Torx Head W/Pin 1/4 Hex Drive - #s 8, 9, 10, 15, 20, 25, 27, 30, 40, 45 & 50



DRIVER, HEX BASE MAGNETIC CHUCK

1/4 Drive For #s 6 & 8 Hex Heads
5/16 Drive For #s 10 & 12 Hex Heads
3/8 Drive For #14 Hex Heads



GREASE FITTINGS

GREASE FITTINGS PLATED (DRIVE IN TYPE)

Straight

45 Degree



GREASE FITTINGS PLATED (THREADED TYPE)

NPT & NF Threads

Straight

45 Degree

90 Degree



HOSE CLAMPS

HOSE CLAMPS (WORM TYPE)

Stainless Steel With Steel Screw

Stainless Steel With Stainless Steel Screw

Range Size From 7/32 Inches To 6 Inches



HOSE CLAMP RACK

5 Loop Clamp Rack

10 Loop Clamp Rack



NUTS

ACORN NUT

Grade 2 Steel (Plated),
Stainless Steel (304),
Brass



ANCO TYPE LOCK NUT

Grade 2H Steel (Galvanized)



COUPLING NUT

Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304)



COUPLING REDUCER NUT

Grade 2 Steel (Plated)



NUTS

FINISHED HEX NUT

Nylon, Aluminum, K-Monel, Monel,
Grade 2 Steel (Plain, Plated & Galvanized),
Metric Class 8 Steel (Plain & Plated),
Stainless Steel (304, 410 & 316), Metric Stainless Steel (304 & 316), Brass (Plain & Naval), Metric Brass, Silicone Bronze, Grade 5 Steel (Plain & Plated), Grade 8 Steel (Plain & Plated), Metric Class 10 Steel (Plain & Plated)



FLANGE NUT (SERRATED)

Grade 2 (Plated),
Stainless Steel (304)



HEAVY HEX NUT

Monel, Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304 & 316), Brass (Plain), Brass (Cast),
Silicone Bronze, Copper, Grade 5 Steel (Plain & Plated),
Grade 2-H Steel (Plain, Plated, Galvanized & Teflon),
Grade DH Steel (Plain & Galvanized)



HIGH NUT

Grade 5 Steel (Plain),
Grade 8 Steel (Plain)



JAM NUT

Grade 2 Steel (Plain, Plated & Galvanized),
Metric Class 8 Steel (Plain & Plated),
Stainless Steel (304 & 316),
Brass, Grade 5 Steel (Plain), Grade 8 Steel (Plain)



JAM HEAVY HEX NUT

Grade 2 Steel (Plain & Plated),
Stainless Steel (304),
Brass, Grade 2-H Steel (Plain)



KEP NUT

Grade 2 Steel (Plated),
Stainless Steel (304)



LEFT HAND NUT

Grade 2 Steel (Plain & Plated)



LOCK NUT (NYLON INSERT TYPE)

Aluminum, Monel, Grade 2 Steel (Plated),
Metric Class 8 Steel (Plain), Stainless Steel (304 & 316),
Metric Stainless Steel (304 & 316), Brass,
Grade 8 Steel (Plain & Plated),
Metric Class 10 Steel (Plain & Plated)



NUTS

LOCK NUT (STOVER ALL METAL TYPE)

Grade C (Plated)



MACHINE NUT

Nylon, Aluminum, Monel,
Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 316),
Brass, Silicone Bronze



CASTLE NUT

Grade 2 Steel (Plain & Plated),
Stainless Steel (304),
Brass



SLOTTED NUT

Grade 2 Steel (Plain & Plated),
Stainless Steel (304),
Brass



SLOTTED HEAVY NUT

Grade 2 Steel (Plain),
Grade 2H Heavy



SQUARE NUT

Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304)



SQUARE HEAVY NUT

Grade 2 Steel (Plain & Galvanized)



T NUT

Grade 2 Steel (Plated),
Stainless Steel (304)



THREAD INSERTS

Die-Cast Zinc Alloy Hexdrive
Steel, Stainless Steel, Brass & Zinc



WING NUT

Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 316),
Brass



PINS

COTTER PIN

Aluminum, Monel,
Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 316),
Brass, Copper



DOWEL PIN

Stainless Steel (304),
Alloy Steel (Plain)

HITCH PIN

Grade 2 Steel (Plated),
Stainless Steel (304)



EXTERNAL HITCH PIN

Grade 2 Steel (Plated)



ROLL PIN

Grade 2 Steel (Plain & Plated),
Stainless Steel (302, 410 & 316)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

SQUARE KEY STOCK

Grade 2 Steel (Plated)



TAPER PIN

Monel, Grade 2 Steel (Plain),
Stainless Steel (304)



WOODRUFF KEY

Stainless Steel (304),
Alloy Steel (Plain)



RIVETS

DRIVE RIVET

Round Head - Aluminum
Brazier Head - Aluminum



NUTSERT ANCHORS

Grade 2 Steel (Plated)



OPEN END DOME BLIND RIVET

Dome - Aluminum, Plated Steel, Stainless Steel
Dome Large Flange - Aluminum, Plated Steel



SOLID RIVET

Belt Head - Copper
Countersunk Head - Aluminum, Monel, Grade 2 Steel, Stainless Steel (304), Brass, Copper
Flat Head - Aluminum, Monel, Stainless Steel (304 & 316), Brass, Copper



SOLID RIVET

Round Head - Aluminum, Monel, Stainless Steel (304 & 316), Brass
Truss Head - Aluminum
Tinners Head - Stainless Steel (304)



SCREWS

DECK SCREW, BUGLE HEAD PHILLIPS (ACQ TYPE)

Grade 2 Steel (Dacrotized)

Grade 2 Steel (Plated), Stainless Steel (304), Brass



DECKING SCREW, FLAT HEAD SQUARE DRIVE #17 POINT

Stainless Steel (304)

Steel (Dacro or ACQ Coated)



DRY WALL SCREW, BUGLE HEAD PHILLIPS

Needle Point - Grade 2 Steel (Plain)

Self Drilling Point - Grade 2 Steel (Plated)



LAG SCREW

Grade 2 Steel (Plain, Plated & Galvanized),

Stainless Steel (304 & 316)



MACHINE SCREW, CHEESE HEAD SLOTTED

Metric Grade 2 Steel (Plated)



SCREWS

MACHINE SCREW, FILLISTER HEAD SLOTTED

Monel, Grade 2 Steel (Plated),
Stainless Steel (304), Brass



MACHINE SCREW, FLAT HEAD UNDERCUT#17 POINT

Phillips - Stainless Steel (304), Steel (Plated),
Slotted - Stainless Steel (304), Steel (Plated)



MACHINE SCREW, FLAT HEAD PHILLIPS

Aluminum, Grade 2 Steel (Plated),
Metric Grade 2 (Plated),
Stainless Steel (304 & 316),
Metric Stainless Steel (304)



MACHINE SCREW, FLAT HEAD SLOTTED

Nylon, Aluminum, Monel,
Grade 2 Steel (Plated), Metric Grade 2 Steel (Plain),
Stainless Steel (304 & 316), Metric Stainless Steel (304),
Brass, Silicone Bronze



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

MACHINE SCREW, HEX HEAD

Hex Head - Grade 2 Steel (Plated)
Hex Washer Head - Grade 2 Steel (Plated),
Stainless Steel (304)



MACHINE SCREW, OVAL HEAD PHILLIPS

Grade 2 Steel (Plated),
Stainless Steel (304), Brass



MACHINE SCREW, OVAL HEAD SLOTTED

Grade 2 Steel (Plated),
Metric Grade 2 Steel (Plated),
Stainless Steel (304),
Metric Stainless Steel (304),



MACHINE SCREW, PAN HEAD PHILLIPS

Nylon, Grade 2 Steel (Plated),
Metric Grade 2 Steel (Plated),
Stainless Steel (316),
Metric Stainless Steel (304), Brass



MACHINE SCREW, BIND HEAD

Phillips - Stainless Steel (304)



Slotted - Aluminum, Stainless Steel (304), Brass



SCREWS

MACHINE SCREW, PAN HEAD SLOTTED

Nylon, Monel, Grade 2 Steel (Plated),
Metric Grade 2 Steel (Plated),
Stainless Steel (316),
Metric Stainless Steel (304 & 316), Brass



MACHINE SCREW, ROUND HEAD PHILLIPS

Monel, Grade 2 Steel (Plain & Plated),
Stainless Steel (304)



MACHINE SCREW, ROUND HEAD SLOTTED

Nylon, Aluminum, Monel,
Grade 2 Steel (Plated),
Stainless Steel (304 & 316),
Brass, Silicone Bronze



MACHINE SCREW, TRUSS HEAD PHILLIPS

Phillips - Grade 2 Steel (Plated), Stainless Steel (304)

Slotted - Aluminum, Monel, Grade 2 Steel (Plated),
Stainless Steel (304)



MACHINE SCREW, THUMB PATTERN

Plain Pattern - Grade 2 Steel (Plain & Plated),
Stainless Steel (304)

Shoulder Pattern - Grade 2 Steel (Plated), Stainless Steel (304)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

TAMPER RESISTANT ONE-WAY MACHINE SCREW

Oval Head - Grade 2 Steel (Plated),
Round Head - Grade 2 Steel (Plated), Stainless Steel (304)



TAMPER RESISTANT SECURITY MACHINE SCREW

Button Head Torx With Pin - Stainless Steel (304)
Flat Head Phillips With Pin - Stainless Steel (304)
Flat Head Spanner - Stainless Steel (304)



TAMPER RESISTANT SECURITY MACHINE SCREW

Flat Head Torx With Pin - Stainless Steel (304)
Oval Head Spanner - Stainless Steel (304)
Pan Head Spanner - Stainless Steel (304)



TAMPER RESISTANT SECURITY MACHINE SCREW

Truss Head Spanner - Stainless Steel (304)
Button Socket Head With Pin - Stainless Steel (304)
Flat Socket Head With Pin - Stainless Steel (304)



TAMPER RESISTANT ONE-WAY TYPE A SHEET METAL SCREW

Oval Head - Grade 2 Steel (Plated)
Round Head - Grade 2 Steel (Plated)



SCREWS

TAMPER RESISTANT SECURITY TYPE A SHEET METAL SCREW

Button Head Torx With Pin - Grade 2 Steel (Plated),
Stainless Steel (304)
Button Socket Head With Pin - Stainless Steel (304)
Flat Head Spanner - Stainless Steel (304)



TAMPER RESISTANT SECURITY TYPE A SHEET METAL SCREW

Oval Head Spanner - Stainless Steel (304)
Pan Head Spanner - Stainless Steel (304)



SELF DRILLING PLY METAL SCREW, FLAT HEAD PHILLIPS

Grade 2 Steel (Plated)



SHEET METAL SCREW, TYPE A FLAT HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (410)



Slotted - Grade 2 Steel (Plated), Stainless Steel (410)



SHEET METAL SCREW, TYPE A HEX HEAD

Hex Head Unslotted - Grade 2 Steel (Plated)
Hex Head Slotted - Grade 2 Steel (Plated)
Hex Washer Head Slotted - Stainless Steel (304)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

SHEET METAL SCREW, TYPE A OVAL HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (304)
Slotted - Grade 2 Steel (Plated), Stainless Steel (304)



SHEET METAL SCREW, TYPE A PAN HEAD

Phillips - Aluminum, Grade 2 Steel (Plated), Stainless Steel (304 & 316)
Slotted - Aluminum, Grade 2 Steel (Plated), Stainless Steel (304)



SHEET METAL SCREW, TYPE A ROUND HEAD

Phillips - Grade 2 Steel (Plated)

Slotted - Aluminum, Grade 2 Steel (Plated), Stainless Steel (304)



SHEET METAL SCREW, TYPE A TRUSS HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (304)

Slotted - Grade 2 Steel (Plated), Stainless Steel (304)



SHEET METAL SCREW, NEEDLE POINT HEX HEAD SELF PIERCING

Grade 2 Steel (Plated)



SCREWS

SHEETING SCREW, SELF PIERCING # 17 POINT HEX HEAD

Grade 2 Steel (Plated)



SHEETING SCREW, TYPE A HEX HEAD WITH WASHER

Grade 2 Steel (Plated)
Stainless Steel (304)



SHEETING SCREW, TYPE B HEX HEAD WITH WASHER

Grade 2 Steel (Plated)



SET SCREW, SQUARE HEAD

Stainless Steel (304)
Case Hardened Steel (Plain & Plated)



THREAD CUTTING SCREW, TYPE “F” FLAT HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (410)
Slotted - Grade 2 Steel (Plated), Stainless Steel (410)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

THREAD CUTTING SCREW, TYPE “F” FLAT HEAD TORXDRIVE FLOOR BOARD

Grade 2 Steel (Plain)



THREAD CUTTING SCREW, TYPE “F” HEX HEAD

Unslotted - Grade 2 Steel (Plated)

Slotted - Grade 2 Steel (Plated)



THREAD CUTTING SCREW, TYPE “F” OVAL HEAD PHILLIPS

Grade 2 Steel (Plated),
Stainless Steel (410)



THREAD CUTTING SCREW, TYPE “F” PAN HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (410)

Slotted - Grade 2 Steel (Plated), Stainless Steel (410)



THREAD CUTTING SCREW, TYPE “F” TRUSS HEAD PHILLIPS

Grade 2 Steel (Plated),
Stainless Steel (410)



SCREWS

U-DRIVE SCREW, ROUND HEAD

Grade 2 Steel (Plated),
Stainless Steel (304)



WOOD SCREW, FLAT HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (304), Brass,



Slotted - Grade 2 Steel (Plated), Stainless Steel (304), Brass



WOOD SCREW, OVAL HEAD

Phillips - Grade 2 Steel (Plated), Stainless Steel (304), Brass



Slotted - Aluminum, Grade 2 Steel (Plated),
Stainless Steel (304), Brass



WOOD SCREW, ROUND HEAD

Phillips - Grade 2 Steel (Plated)



Slotted - Grade 2 Steel (Plain & Plated), Stainless Steel (304),
Brass, Silicone Bronze



COUNTERBORE (12 POINT FLANGE) SCREW

Alloy Steel



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

PLASTIC METRIC & FRACTIONAL SCREW GAUGE

Internally threaded screw gauge

#0 - 3/4 coarse & fine thread inch

1.6mm - 16mm metric

Also a drill & tap gauge on reverse side



SOCKETS

SOCKET HEAD

Nylon, K-Monel, Monel,
Stainless Steel (304 & 316),
Metric Stainless Steel (304 & 316),
Metric Grade 12.9 (Plain),
Alloy Steel (Plain & Plated)



SOCKET HEAD, LOW PROFILE HEAD TYPE

Alloy Steel (Plain),
Metric Alloy Steel (Plain)



SOCKET HEAD, SHOULDER BOLT TYPE

Stainless Steel (304),
Alloy Steel (Plain)



SOCKET HEAD, BUTTON HEAD TYPE

Stainless Steel (304),
Metric Stainless Steel (304),
Alloy Steel (Plain & Plated),
Metric 10.9 Steel (Plain)



SOCKET HEAD, FLAT HEAD TYPE

Monel, Stainless Steel (304 & 316),
Metric Stainless Steel (304),
Alloy Steel (Plain, Plated & Oxide),
Metric 10.9 Steel (Plain)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

SOCKET SET SCREW, CONE POINT TYPE

Stainless Steel (304),
Alloy Steel (Plain)



SOCKET SET SCREW, FULL DOG POINT TYPE

Alloy Steel (Plain),
Metric Alloy Steel (Plain)



SOCKET SET SCREW, FLAT POINT TYPE

Monel,
Stainless Steel (304),
Alloy Steel (Plain),
Metric Alloy Steel (Plain)



SOCKET SET SCREW, HALF DOG POINT TYPE

Stainless Steel (304),
Alloy Steel (Plain)



SOCKET SET SCREW, KNURLED CUP POINT TYPE

Nylon, Monel, Stainless Steel (304 & 316),
Metric Stainless Steel (304),
Brass, Alloy Steel (Plain, Plated & Oxide),
Metric Alloy Steel (Plain)



SOCKETS

SOCKET SET SCREW, CUP POINT TYPE

Nylon, Monel,
Stainless Steel (304 & 316),
Metric Stainless Steel (304),
Brass, Alloy Steel (Plain, Plated & Oxide),
Metric Alloy Steel (Plain)



SOCKET SET SCREW, OVAL POINT TYPE

Alloy Steel (Plain)
Pressure Plug, Dry Seal Type
Stainless Steel (304),
Alloy Steel (Plain)
Brass



HEX KEY

Alloy Steel (Plain)



STUDS

STUD, FULL THREAD TYPE

Stainless Steel (304 & 316),
Alloy B-7 Steel (Plain & Plated),
Alloy B-16 Steel (Plain)



TAPS/DIES

RETHREADING DIES

Hex Type

Round Type



HAND TAPS

Bottom Type

Plug Type

Tapered Type



TEK SCREWS

SELF DRILLING TEK 3 SCREW

Flat Head Phillips - Grade 2 Steel (Plated), Stainless Steel (410)

Pan Head Phillips - Grade 2 Steel (Plated), Stainless Steel (410)

Round Washer Head Phillips - Grade 2 Steel (Plated)



SELF DRILLING TEK 3 SCREW, HEX HEAD

With Washer - Grade 2 Steel (Plated) & Stainless Steel (410)



Without Washer - Grade 2 Steel (Plated) & Stainless Steel (410)



SELF DRILLING TEK 5 SCREW, HEX HEAD

With Washer - Grade 2 Steel (Plated) & Stainless Steel (410)



Without Washer - Grade 2 Steel (Plated) & Stainless Steel (410)



SELF DRILLING TEK SCREW

Square Drive Trim - Grade 2 Steel (Plain)

Wafer Flat Head Phillips - Grade 2 Steel (Plated)



THREADED RODS

FULLY THREADED ROD

Grade 2 Steel (Plain, Plated & Galvanized),
Stainless Steel (304 & 316),
Metric Stainless Steel (304), Brass,
Metric Grade 8.8 Steel (Plain), Alloy B-7 Steel (Plain & Plated),
Metric Alloy B-7 Steel (Plain)



UNTHREADED ROUNDBAR

Grade 2 Steel (Plain),
Stainless Steel (304, 302 & 316),
Brass, Silicone Bronze



TIE WRAPS

CABLE TIES, BASIC TYPE

Length From 4 Inches To 60 Inches
Width From 0.094 Inches To 0.5 Inches
Bundle Diameter From 0.87 Inchs To 20 Inches
Minimum Loop Tensile From 18 Lbs to 250 Lbs.



CABLE TIES, RELEASABLE TYPE

Length From 5.9 Inches To 11.75 Inches
Width 0.298 Inches
Bundle Diameter From 1.25 Inches To 3 Inches
Minimum Loop Tensile 50 Lbs.



CABLE TIES, SCREW MOUNT TYPE

Length From 5.9 Inches To 14.8 Inches
Width From 0.14 Inches To 0.3 Inches
Bundle Diameter From 1.25 Inches To 4 Inches
Minimum Loop Tensile From 30 Lbs. To 120 Lbs.



CABLE TIE INSTALL TOOL

Range From 18 To 50 Lbs.



WASHERS

WASHER, BELLVILLE TYPE

Alloy Steel (Plain & Plated),
Stainless Steel (304),



WASHER, BEVEL TYPE

Malleable Steel (Plain, Plated & Galvanized),
A325 Steel (Plain)



WASHER, EXTERNAL TOOTH LOCK TYPE

Flat - Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 410), Silicone Bronze
Countersunk - Grade 2 Steel (Plated)



WASHER, FENDER TYPE

Nylon, Grade 2 Steel (Plain & Plated),
Stainless Steel (304 & 316)



WASHER, FINISHING TYPE

Stainless Steel (304),
Brass (Nickle Plated)



WASHER, FLAT USS TYPE

Nylon, Aluminum, Neopreme, Monel,
Grade 2 Steel (Plain, Plated & Galvanized), Metric
Grade 2 Steel (Plain),
Fractional & Metric Stainless Steel (304, 410 & 316),
Fractional & Metric Brass (Plain), Silicone Bronze,
Grade 8 Steel (Plated),
Metric Grade 8 Steel (Plain & Plated)



WASHER, FLAT STRUCTURE (SAE HARD) TYPE

F436 Steel (Plain, Plated & Galvanized)



WASHER, FLAT SAE TYPE

Grade 2 Steel (Plain & Plated),
Stainless Steel (AN960 Series),
Brass, Grade 8 Steel (Plated)



WASHER, FLAT MS15795 TYPE

Stainless Steel (304 & 316)



WASHERS

WASHER, HIGH COLLAR LOCK TYPE

Monel, Steel (Plain & Plated),
Metric Steel (Plain & Plated),
Stainless Steel (304)



WASHER, INTERNAL TOOTH LOCK TYPE

Grade 2 Steel (Plain & Plated)
Stainless Steel (302 & 410),
Silicone Bronze



WASHER, LOCK TYPE

Aluminum, Monel, Steel (Plain, Plated & Galvanized),
Metric Steel (Plain & Plated),
Stainless Steel (304 & 316),
Metric Stainless Steel (304 & 316),
Silicone Bronze, Grade 8 Steel (Plain & Plated)



WASHER, LOCK HEAVY TYPE

Grade 2 Steel (Plain & Plated)



Phone: 504 838-9300 • Fax: 504 838-9357
FastenersNO.com

WASHER, NEOBOND TYPE

Grade 2 Steel (Plated),
Stainless Steel (304 & 316



WASHER, OGEE TYPE

Cast Iron Steel (Plain & Galvanized)



WASHER, SQUARE TYPE

Grade 2 Steel (Galvanized)



Identification Grade Marks	Specification	Fastener Description	Material	Normal Size Range (IN)	Mechanical Properties		
					Proof Load (psi)	Yield Strength Min (psi)	Tensile Strength Min (psi)
	SAE J429 Grade1 ASTM A307 Grades A & B SAE J429 Grade 2	Bolts, Screws, Studs	Low or Medium Carbon Steel Low Carbon Steel Low or medium Carbon Steel	1/4 thru 1-1/2 1/4 thru 4 1/4 thru 3/4 Over 3/4 to 1-1/2	33,000 — 55,00 30,0000	33,000 —	60,000 60,000 74,000 60,000
	ASTM A193 Grade B7	Bolts, Screws, Studs for High Temperature Service	AISI 4140 4142 or 4145	1/4 thru 2-1/2 Over 2-1/2 thru 4 Over 4 thru 7	— — —	105,000 95,000 75,000	125,000 115,000 100,000
	ASTM A193 Grade B7	Bolts, Screws, Studs for High Temperature Service	AISI 4140 4142 or 4145	1/4 thru 2-1/2 Over 2-1/2 thru 4 Over 4 thru 7	— — —	105,000 95,000 75,000	125,000 115,000 100,000
	ASTM A325 Type 1	High Strength Structural Bolts	Medium Carbon Steel, Quenched and Tempered	1/2 thru 1 1-1/8 thru 1-1/2	85,000 74,000	92,000 81,000	120,000 105,000
	ASTM A325 Type 2	High Strength Structural Bolts	Low Carbon Martiensitic Steel, Quenched and Tempered	1/2 thru 1	85,000	92,000	120,000
	SAE J429 Grade B ASTM A354 Grades BO	Bolts, Screws, Studs	Medium Carbon Alloy Steel, Quenched and Tempered Alloy Steel Quenched and Tempered	1/4 thru 1-1/2	120,000	130,000	150,000
	ASTM A490	High Strength Structural Bolts	Alloy Steel Quenched and Tempered	1/2 thru 1-1/2	120,000	130,000	150,000 min 170,000 max

TAP DRILL SIZES

Tap Size	Drill Size	% Thread	Tap Size	Drill Size	% Thread	Tap Size	Drill Size	% Thread
0-80	3/64	71-81	10-32	21	68-76	5/8-18	37/64	58-65
M1.6-.35	1.25 mm	69-77	M5 X .8	4.2 mm	69-77	M16 X 2	35/64	76-81
1-64	53	59-67	12-24	16	66-72	3/4-10	21/32	68-72
M2 x .4	1/16	72-79	12-28	15	70-78	3/4-16	11/16	71-77
1-72	53	67-75	M6 X 1	10	76-84	M20 X 2.5	11/16	74-78
2-56	50	62-69	1/4-20	7	70-75	7/8-9	49/64	72-76
2-64	50	70-79	1/4-28	3	72-80	7/8-14	13/16	62-67
M2 x .45	2.05 mm	69-77	5/16-18	F	72-77	M24 X 3	53/64	72-76
3-48	5/64	70-77	5/16-24	1	67-75	1-8	7/8	73-77
3-56	46	69-78	M8 X 1.25	6.7 mm	74-80	1-12	59/64	67-72
4-40	43	65-71	3/8-16	5/16	72-77	1-14	15/16	61-67
4-48	42	61-68	3/8-24	Q	71-79	1 1/8-7	63/64	72-76
M3 x .5	40	70-79	M10 X 1.5	8.4 mm	76-82	1 1/8-12	1-3/64	66-72
5-40	38	65-72	7/16-14	U	70-75	M30 X 3.5	1-3/64	75
5-44	37	63-71	7/16-20	25/64	65-72	1 1/4-7	1-7/64	76
M3.5 x .6	33	72-81	M12 X	13/32	69-74	1 1/4-12	1-11/64	72
6-32	36	71-78	1/2-13	27/64	73-78	1 3/8-6	1-7/32	72
6-40	33	69-77	1/2-20	29/64	65-72	1 3/8-12	1-19/64	72
M4 x .7	3.25 mm	74-82	M14 X 2	15/32	76-81	M36 X 4	1-1/4	82
8-32	29	62-69	9/16-12	31/64	68-72	1 1/2-6	1-11/32	72
8-36	29	70-78	9/16-18	33/64	58-65	1 1/2-12	1-27/64	72
10-24	25	69-75	5/8-11	17/32	75-79			